



CuddeLink Dual Flash Model G-5055 (IR+Black Flash)

- > 1/4 Trigger Speed
- > 20MP images
- > Premium grade sensor
- > Dual Flash System
- Compatible with all CuddeLink cameras

CuddeLink Dual Flash IR Flash in one! CuddeLink Compatable.

A totally new concept in trail cameras.

Overview

- > Cuddeback's Dual Flash revolutionizes trail cameras. No other camera on the market can do what Dual Flash does. Trail camera users have learned that IR has better illumination range, but Black Flash is totally invisible. Neither illumination is better, they are just different for different applications.
- ▶ With built in IR and Black Flash, Dual Flash is ready for all users in all situations. Program Dual Flash to use IR or Black Flash, or select IR for images and Black Flash for videos or any combination you wish.
- > Featuring an industry leading ¼ second trigger speed that captures the deer that so many other cameras would miss. Add Super-Fast Recovery Speed that is ready for the next picture within 1 second of taking the first, and the result is Cuddeback can capture 2 photos before many cameras can capture the first.
- > And the pictures are incredible. 20MP images with stunning daylight color and black/white night images.
- > On top of the performance, we added a ton of cool and innovative features, such as Zone Control, separate day/night delays, fully customizable time lapse and many more.

CuddeLink Compatible

> Dual Flash also is compatible with Cuddeback's wireless mesh network called CuddeLink. With CuddeLink images from up to 16 cameras are transmitted to 1 camera. Instead of checking all your trail cameras, you only check one.

Email: vishalkothari@futuremedia.biz | Website: www.futuremedia.biz



Flash Technology	No-glow & low-glow IR Has 28 940nm LEDs which are completely invisible with no red glow. Has 28 850nm LEDs that provide long range and best IR image quality.
Flash Power	56 High Power LEDs Not all LEDs are created equally. Camera uses high power LEDs instead of cheaper commodity LEDs. Flash range is highly dependent upon the setting, but in a forest, deer can be identified to over 100+ feet.
Trigger Speed	1/4 second Fast trigger speeds allows the camera to capture moving animals before they move beyond the view of the camera.
Recovery Speed	1 to 2 seconds The camera can be ready for the second shot 1 to 2 seconds after the first, allowing the camera to capture a second animal following the first.
Battery System	D battery, quantity 4 D batteries have up to 8 times the power of AA batteries.
Battery Life	Up to 12 months Over 10,000 images (when CuddeLink is disabled) Battery life depends on battery quality, run days, number of images taken, temperature and other factors.
Day Images	Full color 5MP or 20MP color images with stunning clarity.
Night Images	IR black and white 5MP or 20MP properly exposed b/w images with excellent black and white definition.
Image Imprint	Date, time, moon phase, CAM ID Black bar identification for easy reading.
Zone Control	Yes (Select wide or narrow) Set the animal detector to wide view or narrow view as required by the situation.
Time Lapse	10 seconds to 24 hours Allows different settings for day and night.
Camera Delays	1* second to 60 minutes Provide versatility for trails, scrapes, food plots and feeders. *Fast-as-possble mode, actual time may be longer depending upon SD card.
Burst Mode	1 to 5 images Select to trigger multiple images per event. *Only first image from Burst Mode is sent Home, other burst images stored on camera's SD card
Burst Mode	1 to 5 images Select to trigger multiple images per event.
Day & Night Modes	Separate day and night Separate delays, time lapse, images, video, and burst for day and night.
No Card Mode	Yes Camera will continue to record images without an SD card.
Operating Modes	EZ, Advanced & Surveillance Use EZ mode for simple setup and use. Use Advanced Mode for more control over the camera settings. Learn more about Surveillance Mode.
Video	Yes – 10, 20, or 30 seconds Plus you can still get an image when you take video. *Video disabled when CuddeLink is active
HD-Size Images	Yes (16:9) Select if you prefer wide format images.
Full-Size Images	Yes (4:3) Select if you prefer full-size images.
Genius™Mount	Yes Easier to deploy a camera when the mount is separated from the camera. Optional mounts sold separately.
Conformal Coated Electronics	Yes Waterproof coating on all electronics provides enhanced protection from humidity and water.
Warranty Tracker	Yes No receipt required to validate warranty.
5.2.1 Warranty	Yes 1-year standard warranty. 2 years with online registration. 5-year reduced cost replacement program.
Approximate Dimensions	H x W x D in inches 6.4 x 3 x 3.5 (excludes mounting bracket).